

Seo Analyzer kaercher.com

Generated on March 12 2022 07:03 AM

The score is 64/100

SEO Content

	Title	Cleaning eq	uipment a	nd pressure	washers K	(ärcher Inte	ernational
		Length: 63	3				
		Perfect, you	r title cont	tains betwee	n 10 and 70) characters	S.
	Description		e range of	ned global lo quality pres			
		Length: 1	47				
		Great, your	meta desc	cription conta	ains betwee	n 70 and 1	60 characters.
	Keywords	_		found meta erator to crea	-		e. Use <u>this free</u>
8	Og Meta Properties	social crawl	er's better	ke advantag structurize so create the	your page.		s tags allows <u>e og</u>
	Headings	H1 0	H2 0	H3 13	H4 1	H5 0	H6 3
		• [H3] • [H3] • [H3] • [H3] • [H3] • [H3] • [H3] • [H3] • [H4] • [H4]	BE THE D SUSTAINA CULTURA HOME & (BRING BA PROFESSI WHEN HY CLEANING EVERDAY Kärcher K DIFFEREN Kärcher K	CK THE WOY IONAL GIENE MATT G HELPS CON IS A DAY FO (NOW HOW ICE - THE KÄ (NOW HOW to the Interr	GENTS GHIP W TERS MOST MBAT DAILY OR BIG TARG	GETS GAZINE	Kärcher

SEO Content

	• [H6] Social Media
Images	We found 17 images on this web page.
	Good, most or all of your images have alt attributes.
Text/HTML Ratio	Ratio : 52 %
	Ideal! This page's ratio of text to HTML code is between 25 and 70 percent.
Flash	Perfect, no Flash content has been detected on this page.
Iframe	Great, there are no Iframes detected on this page.

SEO Links

	URL Rewrite	Good. Your links looks friendly!
	Underscores in the URLs	We have detected underscores in your URLs. You should rather use hyphens to optimize your SEO.
	In-page links	We found a total of 114 links including 2 link(s) to files
0	Statistics	External Links : noFollow 0% External Links : Passing Juice 6.14%
0	Statistics	

Anchor	Туре	Juice
Skip to content	Internal	Passing Juice
Skip to navigation	Internal	Passing Juice
{{#if export}} Go to the dealer search {{else}} Go to the local website {{/if}}	Internal	Passing Juice

Ξ.	External	Passing Juice
Home & amp; Garden	Internal	Passing Juice
Kärcher Know How	Internal	Passing Juice
When Hygiene Matters Most	Internal	Passing Juice
Kärcher Services	Internal	Passing Juice
Dealer Search	Internal	Passing Juice
<u>FAQs</u>	Internal	Passing Juice
Safety data sheets	Internal	Passing Juice
Pressure washers	Internal	Passing Juice
Patio Cleaner	Internal	Passing Juice
Mobile cleaning	Internal	Passing Juice
Pressure washers with combustion engine	Internal	Passing Juice
<u>Pumps</u>	Internal	Passing Juice
Watering systems	Internal	Passing Juice
Push Sweepers	Internal	Passing Juice
Vacuum cleaners	Internal	Passing Juice
Wet and dry vacuum cleaners	Internal	Passing Juice
Specialized Vacuums	Internal	Passing Juice
Cordless electric brooms	Internal	Passing Juice
Steam cleaners	Internal	Passing Juice
Steam vacuum cleaner	Internal	Passing Juice
Steam ironing station	Internal	Passing Juice
Cordless window vacs	Internal	Passing Juice
Floor polisher	Internal	Passing Juice
Floor Cleaner	Internal	Passing Juice
Electric wiping mop	Internal	Passing Juice
Garden Tools	Internal	Passing Juice
Electric Ice Scraper	Internal	Passing Juice

<u>Air treatment</u>	Internal	Passing Juice
<u>Accessories</u>	Internal	Passing Juice
<u>Detergents</u>	Internal	Passing Juice
Battery Power	Internal	Passing Juice
Professional	Internal	Passing Juice
Kärcher Know How	Internal	Passing Juice
Work more economically with battery-powered vacuum cleaners	Internal	Passing Juice
Disinfectant and hygiene solutions	Internal	Passing Juice
Engineered Solutions	Internal	Passing Juice
High-pressure cleaners	Internal	Passing Juice
Outdoor Power Equipment	Internal	Passing Juice
Vacuums	Internal	Passing Juice
Window and surface vacuum cleaner	Internal	Passing Juice
Floor scrubbers / scrubber driers	Internal	Passing Juice
Carpet cleaner	Internal	Passing Juice
Manual Cleaning Equipment	Internal	Passing Juice
Sweepers and vacuum sweepers	Internal	Passing Juice
Industrial Vacuuming / Dedusting Solutions	Internal	Passing Juice
Municipal Equipment	Internal	Passing Juice
<u>Vehicle cleaning systems</u>	Internal	Passing Juice
Water reclamation	Internal	Passing Juice
Steam cleaners & amp; steam vacuum cleaners	Internal	Passing Juice
Dry ice cleaning	Internal	Passing Juice
<u>Drinking water treatment</u>	Internal	Passing Juice
Water dispenser	Internal	Passing Juice
Container cleaning	Internal	Passing Juice
Work protection	Internal	Passing Juice
Generators and waste water pump	Internal	Passing Juice

<u>Air Purifier</u>	Internal	Passing Juice
Connected Cleaning	Internal	Passing Juice
Cleaning agents	Internal	Passing Juice
Battery Power+	Internal	Passing Juice
Register and Win	Internal	Passing Juice
<u>Service</u>	Internal	Passing Juice
Spare parts	Internal	Passing Juice
Download	Internal	Passing Juice
Operating manuals	Internal	Passing Juice
Data sheets for content materials	Internal	Passing Juice
Contact	Internal	Passing Juice
Visual remote support	Internal	Passing Juice
Inside Kärcher	Internal	Passing Juice
Company	Internal	Passing Juice
About Kärcher	Internal	Passing Juice
Factory Tours	Internal	Passing Juice
Supplier Area	Internal	Passing Juice
Innovation	Internal	Passing Juice
Sponsoring	Internal	Passing Juice
Media information	Internal	Passing Juice
Company	Internal	Passing Juice
Home & amp; Garden	Internal	Passing Juice
Professional	Internal	Passing Juice
Press contact	Internal	Passing Juice
Annual review 2021	Internal	Passing Juice
Virtual Brand Space	Internal	Passing Juice
Compliance & amp: Integrity	Internal	Passing Juice
<u>Career</u>	Internal	Passing Juice

Kärcher as an employer	Internal	Passing Juice
Sustainability	Internal	Passing Juice
Goals 2025	Internal	Passing Juice
Facts and Figures	Internal	Passing Juice
History	Internal	Passing Juice
Culture, Nature & Society	Internal	Passing Juice
Cultural Sponsorship	Internal	Passing Juice
Supply Chain and Products	Internal	Passing Juice
Employees	Internal	Passing Juice
Kärcher Newsroom	Internal	Passing Juice
Kärcher Stories	Internal	Passing Juice
Cleaning tips for your home & amp; garden	Internal	Passing Juice
Know-how for Professionals	Internal	Passing Juice
difference - the Kärcher Magazine	Internal	Passing Juice
<u>Imprint</u>	Internal	Passing Juice
Copyright	Internal	Passing Juice
<u>Disclaimer</u>	Internal	Passing Juice
Privacy Information	Internal	Passing Juice
Cookie Policy	Internal	Passing Juice
Conditions of use for the press section	Internal	Passing Juice
Product and Service Security Reporting	Internal	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
<u>=</u>	External	Passing Juice
=	External	Passing Juice
=	External	Passing Juice

SEO Keywords



Keywords Cloud

garden cleaner professional vacuum **kärcher** steam **cleaning** home know cleaners

Keywords Consistency

Keyword	Content	Title	Keywords	Descripti on	Headings
kärcher	20	*	×	*	✓
cleaning	13	✓	×	✓	♥
cleaners	7	×	×	✓	×
vacuum	7	×	×	×	×
home	6	×	×	×	*

Usability

0	Url	Domain : kaercher.com Length : 12
	Favicon	Great, your website has a favicon.
	Printability	We could not find a Print-Friendly CSS.
	Language	Good. Your declared language is en.
	Dublin Core	This page does not take advantage of Dublin Core.

Document

Doctype	HTML 5
Encoding	Perfect. Your declared charset is UTF-8.

Document

	W3C Validity	Errors: 0 Warnings: 0
	Email Privacy	Great no email address has been found in plain text!
	Deprecated HTML	Great! We haven't found deprecated HTML tags in your HTML.
0	Speed Tips	 Excellent, your website doesn't use nested tables. Too bad, your website is using inline styles. Great, your website has few CSS files. Too bad, your website has too many JS files (more than 6). Perfect, your website takes advantage of gzip.

Mobile

0	Mobile Optimization	~	Apple Icon
		~	Meta Viewport Tag
		*	Flash content

Optimization

\bigcirc	XML Sitemap	Great, your website has an XML sitemap. http://kaercher.com/sitemap.xml https://www.kaercher.com/sitemap.xml
	Robots.txt	http://kaercher.com/robots.txt
		Great, your website has a robots.txt file.
8	Analytics	Missing We didn't detect an analytics tool installed on this website. Web analytics let you measure visitor activity on your website. You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.

Optimization