

Seo Analyzer secomp.cz

Generated on March 01 2022 11:37 AM





The score is 53/100




SEO Content

	Title	SECOMP a.s. Length : 11 Perfect, your title contains between 10 and 70 characters.												
	Description	SECOMP a.s. Length : 11 Ideally, your meta description should contain between 70 and 160 characters (spaces included). Use this free tool to calculate text length.												
	Keywords	SECOMP a.s. Good, your page contains meta keywords.												
	Og Meta Properties	This page does not take advantage of Og Properties. This tags allows social crawler's better structurize your page. Use this free og properties generator to create them.												
	Headings	<table><thead><tr><th>H1</th><th>H2</th><th>H3</th><th>H4</th><th>H5</th><th>H6</th></tr></thead><tbody><tr><td>1</td><td>28</td><td>0</td><td>0</td><td>0</td><td>0</td></tr></tbody></table> <ul style="list-style-type: none">[H1] SECOMP a.s.[H2] Přihlášení[H2] Proč se zaregistrovat?[H2] Proč nakupovat u nás[H2] Aten Přepínač KVM 3:1 (USB klávesnice a myš, DP, audio), DP + USB 3.0 - USB C, 4K@60Hz (CS1953)[H2] goobay Rozdvojka 230V, 2x typ C, bílá[H2] ROLINE USB4 40Gbps kabel USB C(M) - USB C(M), PD 20V/5A, 0,8m, černý[H2] goobay UTP patchkabel kat.6, lomený konektor, 10m, černý[H2] BACHMANN Systém DESK 2, 3x zásuvka 230V (DE), 2x RJ45 kat. 6, 1x USB 3.0, 1x HDMI (902.502)[H2] BACHMANN Systém Power FRAME, box pro 4 moduly, 3x zásuvka 230V (CZ) + 1x nabíjecí (2x USB) (916.1227)[H2] BACHMANN Systém CONFERENCE/TOP FRAME, box pro 8 modulů, 3x 230V(CZ), 1x nabíjecí (2x USB), 4x volné	H1	H2	H3	H4	H5	H6	1	28	0	0	0	0
H1	H2	H3	H4	H5	H6									
1	28	0	0	0	0									




SEO Content

		<p>(909.0060)</p> <ul style="list-style-type: none">• [H2] MEAN WELL Napájecí adaptér na DIN lištu, 24V DC, 240W (SDR-240-24)• [H2] Clicktronic HQ OFC DVI-D kabel, DVI-D(M) - DVI-D(M), dual link, 7,5m• [H2] ROLINE Konvertor miniDP(M) -> VGA(F), 1920x1200@60Hz, v1.2• [H2] Clicktronic HQ OFC DisplayPort - HDMI kabel, miniDP(M) -> HDMI A(M), 3m• [H2] ROLINE Maticový HDMI přepínač, 4x2, 4K@30Hz, dálkové ovládání• [H2] ROLINE USB SuperSpeed 5Gbps (USB 3.0) aktivní prodlužovací kabel, USB3.0 A(M) - USB3.0 A(F), 10m• [H2] ROLINE PCI Express 3.0 x4 karta -> 1x M.2 (key-M), 80mm• [H2] Datwyler STP Patchkabel kat. 5e, CU 5502 flex PVC, TM11, 2m, šedý• [H2] goobay High Speed HDMI kabel s Ethernetem, HDMI M - microHDMI M, 2m• [H2] Value Čtečka karet USB C(M) - SD/Micro SD + 3x USB3.0 A(F)• [H2] goobay Rozbočka telefonní RJ45 (8P4C) 1xM / 4xF, černá• [H2] Value Digitální bezdrátová kamera IP66 pro kamerové sety• [H2] goobay USB 2.0 kabel 3 v 1 USB A(M) - microUSB B(M)/miniUSB 5pinB(M)/Apple 1m• [H2] ROLINE Kabel datový eSATA, 1m• [H2] Jirous Panelová anténa JPA-9L (na okno), 0,5m• [H2] goobay Redukce HDMI A(M) - DVI-D(F) single + HDMI A(F)• [H2] ROLINE Optický patchkabel MTRJ-SC 62,5/125 (multi mode), duplex, 5m• [H2] Clicktronic HQ OFC DisplayPort kabel, DP(M) - DP(M), 10m
	Images	<p>We found 68 images on this web page.</p> <p>7 alt attributes are empty or missing. Add alternative text so that search engines can better understand the content of your images.</p>
	Text/HTML Ratio	<p>Ratio : 29%</p> <p>Ideal! This page's ratio of text to HTML code is between 25 and 70 percent.</p>
	Flash	<p>Perfect, no Flash content has been detected on this page.</p>
	Iframe	<p>Great, there are no Iframes detected on this page.</p>

SEO Links

	URL Rewrite	<p>Bad. Your links have query string.</p>
---	-------------	---

SEO Links

	Underscores in the URLs	We have detected underscores in your URLs. You should rather use hyphens to optimize your SEO.
	In-page links	We found a total of 88 links including 0 link(s) to files
	Statistics	External Links : noFollow 0% External Links : Passing Juice 38.64% Internal Links 61.36%

In-page links

Anchor	Type	Juice
SECOMP a.s.	Internal	Passing Juice
Zapomenuté heslo	Internal	Passing Juice
Registrační formulář	Internal	Passing Juice
Kabely, redukce	Internal	Passing Juice
Přepínače, extendery, rozbočovače	Internal	Passing Juice
Komponenty pro počítačové sítě	Internal	Passing Juice
Kamery, kamerové systémy	Internal	Passing Juice
Komponenty do PC	Internal	Passing Juice
Příslušenství	Internal	Passing Juice
Napájení, zdroje, UPS	Internal	Passing Juice
Světelné zdroje	Internal	Passing Juice
Speciální akce	Internal	Passing Juice
Nákupní košík	Internal	Passing Juice
Moje firma	Internal	Passing Juice
Moje objednávky	Internal	Passing Juice
Moje faktury	Internal	Passing Juice
Reklamace	Internal	Passing Juice
Záruky	Internal	Passing Juice

In-page links

Odhlásit se	Internal	Passing Juice
Speciální akce	Internal	Passing Juice
Výprodej	Internal	Passing Juice
Rozbaleno	Internal	Passing Juice
Zánovní	Internal	Passing Juice
Novinky	Internal	Passing Juice
Speciální nabídky	Internal	Passing Juice
Výprodej	Internal	Passing Juice
Rozbaleno	Internal	Passing Juice
Aten Přepínač KVM 3:1 (USB klávesnice a myš, DP, audio), DP + USB 3.0 - USB C, 4K@60Hz (CS1953)	Internal	Passing Juice
=	External	Passing Juice
goobay Rozdvojka 230V, 2x typ C, bílá	Internal	Passing Juice
=	External	Passing Juice
ROLINE USB4 40Gbps kabel USB C(M) - USB C(M), PD 20V/5A, 0,8m, černý	Internal	Passing Juice
=	External	Passing Juice
goobay UTP patchkabel kat.6, lomený konektor, 10m, černý	Internal	Passing Juice
=	External	Passing Juice
BACHMANN Systém DESK 2, 3x zásuvka 230V (DE), 2x RJ45 kat. 6, 1x USB 3.0, 1x HDMI (902.502)	Internal	Passing Juice
=	External	Passing Juice
BACHMANN Systém Power FRAME, box pro 4 moduly, 3x zásuvka 230V (CZ) + 1x nabíjecí (2x USB) (916.1227)	Internal	Passing Juice
=	External	Passing Juice
BACHMANN Systém CONFERENCE/TOP FRAME, box pro 8 modulů, 3x 230V(CZ), 1x nabíjecí (2x USB), 4x volné (909.0060)	Internal	Passing Juice
=	External	Passing Juice
MEAN WELL Napájecí adaptér na DIN lištu, 24V DC, 240W (SDR-240-24)	Internal	Passing Juice
=	External	Passing Juice

In-page links

Clicktronic HQ OFC DVI-D kabel, DVI-D(M) - DVI-D(M), dual link, 7,5m	Internal	Passing Juice
=	External	Passing Juice
ROLINE Konvertor miniDP(M) -&gt; VGA(F), 1920x1200@60Hz, v1.2	Internal	Passing Juice
=	External	Passing Juice
Clicktronic HQ OFC DisplayPort - HDMI kabel, miniDP(M) -&gt; HDMI A(M), 3m	Internal	Passing Juice
=	External	Passing Juice
ROLINE Maticový HDMI přepínač, 4x2, 4K@30Hz, dálkové ovládání	Internal	Passing Juice
=	External	Passing Juice
ROLINE USB SuperSpeed 5Gbps (USB 3.0) aktivní prodlužovací kabel, USB3.0 A(M) - USB3.0 A(F), 10m	Internal	Passing Juice
=	External	Passing Juice
ROLINE PCI Express 3.0 x4 karta -&gt; 1x M.2 (key-M), 80mm	Internal	Passing Juice
=	External	Passing Juice
Datwyler STP Patchkabel kat. 5e, CU 5502 flex PVC, TM11, 2m, šedý	Internal	Passing Juice
=	External	Passing Juice
goobay High Speed HDMI kabel s Ethernetem, HDMI M - microHDMI M, 2m	Internal	Passing Juice
=	External	Passing Juice
Value Čtečka karet USB C(M) - SD/Micro SD + 3x USB3.0 A(F)	Internal	Passing Juice
=	External	Passing Juice
goobay Rozbočka telefonní RJ45 (8P4C) 1xM / 4xF, černá	Internal	Passing Juice
=	External	Passing Juice
Value Digitální bezdrátová kamera IP66 pro kamerové sety	Internal	Passing Juice
=	External	Passing Juice
goobay USB 2.0 kabel 3 v 1 USB A(M) - microUSB B(M)/miniUSB 5pinB(M)/Apple 1m	Internal	Passing Juice
=	External	Passing Juice

In-page links

ROLINE Kabel datový eSATA, 1m	Internal	Passing Juice
=	External	Passing Juice
Jirous Panelová anténa JPA-9L (na okno), 0.5m	Internal	Passing Juice
=	External	Passing Juice
goobay Redukce HDMI A(M) - DVI-D(F) single + HDMI A(F)	Internal	Passing Juice
=	External	Passing Juice
ROLINE Optický patchkabel MTRJ-SC 62.5/125 (multi mode), duplex, 5m	Internal	Passing Juice
=	External	Passing Juice
Clicktronic HQ OFC DisplayPort kabel, DP(M) - DP(M), 10m	Internal	Passing Juice
=	External	Passing Juice
www.secomp.cz	Internal	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
=	External	Passing Juice
CyberSoft s.r.o.	External	Passing Juice
Gapanet solution s.r.o.	External	Passing Juice
Zobrazit detaily	Internal	Passing Juice

SEO Keywords






Keywords Cloud

koupit porovnat bez skladem hdmi kabel
pro zařízení **usb dph**





Keywords Consistency

Keyword	Content	Title	Keywords	Description	Headings
dph	50	✘	✘	✘	✘
usb	37	✘	✘	✘	✔
pro	33	✘	✘	✘	✔
skladem	27	✘	✘	✘	✘
bez	25	✘	✘	✘	✔



Usability

	Url	Domain : secomp.cz Length : 9
	Favicon	Great, your website has a favicon.
	Printability	We could not find a Print-Friendly CSS.
	Language	Good. Your declared language is cs.
	Dublin Core	This page does not take advantage of Dublin Core.


Document

	Doctype	HTML 5
	Encoding	Perfect. Your declared charset is UTF-8.
	W3C Validity	Errors : 0 Warnings : 0
	Email Privacy	Warning! At least one email address has been found in the plain text. Use free antispam protector to hide email from spammers.




Document

	Deprecated HTML	<table><thead><tr><th>Deprecated tags</th><th>Occurrences</th></tr></thead><tbody><tr><td><u></td><td>75</td></tr></tbody></table> <p>Deprecated HTML tags are HTML tags that are no longer used. It is recommended that you remove or replace these HTML tags because they are now obsolete.</p>	Deprecated tags	Occurrences	<u>	75
Deprecated tags	Occurrences					
<u>	75					
	Speed Tips	<ul style="list-style-type: none">✓ Excellent, your website doesn't use nested tables.✓ Perfect. No inline css has been found in HTML tags!✓ Great, your website has few CSS files.✓ Perfect, your website has few JavaScript files.✓ Perfect, your website takes advantage of gzip.				

Mobile

	Mobile Optimization	<ul style="list-style-type: none">✗ Apple Icon✓ Meta Viewport Tag✓ Flash content
---	---------------------	--

Optimization

	XML Sitemap	<p>Great, your website has an XML sitemap.</p> <p>http://secomp.cz/sitemap.xml</p> <p>https://www.secomp.cz/sitemap_index.xml</p>
	Robots.txt	<p>http://secomp.cz/robots.txt</p> <p>Great, your website has a robots.txt file.</p>
	Analytics	<p>Missing</p> <p>We didn't detect an analytics tool installed on this website.</p> <p>Web analytics let you measure visitor activity on your website. You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.</p>